



**SALVATORE
ROBUSCHI
POMPE PARMA**

**INGOMBRI SU BASE
CON GIUNTO STANDARD**

**OVERALL DIMENSIONS ON BASE
WITH STANDARD COUPLING**

RC

N : T-1422

DATA: 14.05.2012

Pompa tipo Pump size	Motore Grand. Motor Size	Base Base - Plate n.°	DIMENSIONI - DIMENSIONS [mm]																	Peso ^(a) Weight [kg]
			DNa	DNm	a	f	h3	h2	L1	L2	L3	B2	B3	w	d	b	c1	c2	T ^(a)	
32-16	80	1	50	32	48	418	192	160	750	120	510	350	320	60	14	6	0	52	745	65
	90S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	42	765	65
	90L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	42	790	70
	100L	2	"	"	"	252	160	1000	170	660	400	360	60	19	30	0	32	830	100	
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	20	830	105
	132S	"	"	"	"	"	"	"	"	"	-	"	"	"	"	"	"	0	920	120
	132M	"	"	"	"	"	"	"	"	"	-	"	"	"	"	"	"	0	920	125
32-20	90S	1	50	32	48	418	220	180	750	120	510	350	320	60	14	6	0	70	765	70
	90L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	70	790	75
	100L	2	"	"	"	280	180	1000	170	660	400	360	60	19	30	0	60	830	110	
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	830	110
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	920	125
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	920	130
160M	3	"	"	"	"	"	"	1200	205	790	440	400	"	"	"	"	0	1075	160	
50-16	90S	1	65	50	55	427	220	180	750	120	510	350	320	60	14	6	0	70	780	70
	90L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	70	805	75
	100L	2	"	"	"	280	180	1000	170	660	400	360	60	19	30	0	60	845	105	
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	850	110
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	935	120
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	935	130
	160M	3	"	"	"	"	"	"	1200	205	790	440	400	60	"	"	"	0	1090	155
50-20	100L	2	65	50	55	532	280	200	1000	170	660	400	360	60	19	30	0	60	950	120
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	955	120
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	1040	135
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	28	1040	140
	160M	3	"	"	"	"	"	"	1200	205	790	440	400	60	"	"	"	0	1195	175
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	0	1235	195
50-25	90L	2	65	50	55	534	300	225	1000	170	660	600	360	75	19	30	0	90	915	120
	100L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	80	950	130
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	68	955	130
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	1040	145
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	1040	155
	160M	3	"	"	"	"	"	"	1200	205	790	440	400	75	19	30	0	20	1195	190
65-20	100L	2	80	65	66	542	300	225	1000	170	660	400	360	75	19	30	0	80	975	120
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	68	975	125
	132S	"	"	"	"	300	225	"	205	790	440	400	75	19	30	"	"	48	1040	140
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	1040	145
	160M	3	"	"	"	"	"	"	1200	"	"	"	"	"	"	"	"	20	1215	180
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	20	1215	200
80-20(S)	100L	3	100	80	70	550	300	250	1200	205	790	440	400	75	19	30	0	80	985	130
	112M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	68	985	140
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	1070	150
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	48	1070	160
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	20	1225	190
80-25	112M	5	100	80	75	575	345	280	1200	205	790	505	465	90	19	30	0	113	1015	150
	132S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	93	1100	160
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	93	1100	170
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	65	1255	200
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	65	1255	210
	180M	6	"	"	"	390	315	1300	215	870	510	460	"	24	13	25	70	1335	240	
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	70	1335	260
80-31	132S	5	100	80	90	587	370	315	1200	205	790	505	465	90	19	30	0	118	1130	240
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	118	1130	240
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1285	270
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1285	290
	180M	6	"	"	"	415	315	1300	215	870	510	460	90	24	15	25	95	1360	320	
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	95	1380	340
	200L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	75	1455	380
	225S	7	"	"	"	"	"	"	1450	235	980	560	510	"	"	"	"	50	1545	410
225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	50	1545	430	

Quote e pesi suscettibili di variazione.
Dimensions and weights are subject to variations.

^(a)Quota indicativa può variare in funzione della marca del motore
Not binding dimension that can change according to motor maker

Pompa tipo Pump size	Motore Grand. Motor Size	Base Base- Plate n.°	DIMENSIONI - DIMENSIONS [mm]																	Peso ^(a) Weight
			DNa	DNm	a	f	h3	h2	L1	L2	L3	B2	B3	w	d	b	c1	c2	T ^(a)	[kg]
100-25	132S	5	125	100	90	585	345	280	1200	205	790	505	465	90	19	30	0	93	1125	170
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	93	1125	170
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	65	1280	200
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	65	1325	220
	180M	6	"	"	"	"	390	"	1300	215	870	510	460	"	24	15	25	70	1360	250
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	70	1380	270
200L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	50	1455	310	
125-25	132S	5	150	125	112	597	370	355	1200	205	790	505	465	90	19	30	0	118	1164	245
	132M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	118	1164	250
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1314	285
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1360	300
	180M	6	"	"	"	"	415	"	1300	215	870	510	460	90	24	15	25	95	1400	375
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	95	1420	380
200L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	75	1500	400	
125-31	132M	6	150	125	113	600	445	355	1300	215	870	510	460	110	24	15	25	173	1165	270
	160M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	145	1320	290
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	145	1360	310
	180M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	125	1395	340
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	125	1415	360
	200L	7	"	"	"	"	445	"	1450	235	980	560	510	"	24	15	25	105	1490	395
	225S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	80	1580	435
	225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	80	1580	450
250M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	55	1590	500	
150-31	160M	7	200	150	120	571	480	400	1450	235	980	560	510	110	24	13	25	180	1066	280
	160L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1152	300
	180M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	160	1196	320
	180L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1201	350
	200L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	140	1239	370
	225S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	115	1267	405
	225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1304	445
	250M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1329	460
	280S	8	"	"	"	"	"	"	1590	"	1120	"	"	"	"	"	"	60	1391	510
	280M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1442	670
315S	10	"	"	"	"	520	"	2000	260	1480	710	660	"	26	15	"	25	1592	1070	
150-35	180L	7	200	150	200	710	480	400	1450	235	980	560	510	110	24	13	25	160	1597	531
	200L	8	"	"	"	"	"	"	1590	"	1120	"	"	"	"	"	"	140	1672	551
	225S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	115	1672	575
	225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1782	595
	250M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	90	1752	620
	280S	9	"	"	"	"	520	"	1900	260	1380	610	560	"	26	15	"	60	1782	730
	280M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1852	850
	315S	10	"	"	"	"	"	"	2000	"	1480	710	660	"	"	"	"	25	1910	976
315M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1910	1276	
200-35	200L	8	250	200	250	722	520	450	1590	235	1120	560	510	110	24	13	25	180	1736	560
	225S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	155	1843	620
	225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1813	645
	250M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	130	1843	675
	280S	9	"	"	"	"	560	"	1900	260	1380	610	560	"	26	15	26	100	1973	805
	280M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1973	875
	315S	10	"	"	"	"	"	"	2000	"	1480	710	660	"	"	"	"	65	1973	1300
	315M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	2115	1423
315L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	2125	1523	
250-35	200L	10	300	250	300	737	560	500	2000	260	1480	710	660	140	26	15	26	180	1751	705
	225S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	155	1858	765
	225M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1828	790
	250M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	130	1858	825
	280S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	100	1988	870
	280M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	1988	990
	315S	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	65	1988	1325
	315M	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	2130	1480
	315L	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	2140	1580
355LA	11	"	"	"	"	600	"	2300	350	1600	820	750	"	30	18	"	25	2420	2100	